UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/763,866	01/22/2004	Edward Eytchison	Sony-29000	8507
28960	7590 10/05/2007 K & OWENS LLP		EXAMINER	
162 N WOLFE	ROAD		ALI, FARHAD	
SUNNYVALE	, CA 94086		ART UNIT	PAPER NUMBER
			2146	
		·	MAIL DATE	DELIVERY MODE
			10/05/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		$\sim$
;	Application No.	Applicant(s)
-	10/763,866	EYTCHISON ET AL.
Office Action Summary	Examiner	Art Unit
	Farhad Ali	2146
The MAILING DATE of this communication app Period for Reply	oears on the cover sheet with the	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D.  - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailine earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION (136(a)). In no event, however, may a reply be will apply and will expire SIX (6) MONTHS from (6), cause the application to become ABANDON	DN. timely filed om the mailing date of this communication. NED (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on 22 Journal 2a) This action is <b>FINAL</b> . 2b) ☑ This 3) ☐ Since this application is in condition for allowanclosed in accordance with the practice under Expression 1.	s action is non-final. nce except for formal matters, p	
Disposition of Claims		
4) ☐ Claim(s) 1-24 is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-24 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	wn from consideration.	. *
Application Papers		
9) The specification is objected to by the Examine 10) The drawing(s) filed on 22 January 2004 is/are Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Example 11.	e: a) accepted or b) objected or b) objected drawing(s) be held in abeyance. Setion is required if the drawing(s) is constant.	see 37 CFR 1.85(a). objected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list	ts have been received. ts have been received in Applica prity documents have been recei uu (PCT Rule 17.2(a)).	ation No ived in this National Stage
Attachment(s)		
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>Information Disclosure Statement(s) (PTO/SB/08)</li> <li>Paper No(s)/Mail Date 01/30/2005.</li> </ol>	4) Interview Summa Paper No(s)/Mail 5) Notice of Informa 6) Other:	

Art Unit: 2146

#### **DETAILED ACTION**

## Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 2. Claims 1-24 are rejected under 35 U.S.C. 102(e) as being anticipated by Warren (US 2003/0204612 A1).

Warren teaches:

#### Claim 1

A method comprising:

detecting at least one device (See figure 4, number 404 "identify network element");

detecting a protocol associated with each device (See figure 4, number 406 "identify communications protocol");

matching the detected protocol with a protocol translator module; and using a protocol translator module to translate a command formatted in the protocol into a translated command formatted in a common application programming interface (See

Art Unit: 2146

figure 4, number 414 "translate device command" and paragraph [0020] "In a particular embodiment, manager 102 communicates using a web services protocol, and abstraction device 106 translates between the web services protocol and the protocols used by network elements 108. This may allow manager 102 to communicate with different network elements 108 using a common protocol").

## Claim 2

The method according to claim 1, further comprising searching for the device from a plurality of devices based on a device identifier (paragraph [0065] "Device identifier").

## Claim 3

The method according to claim 1, further comprising searching for the device from a plurality of devices based on a content type (paragraph [0065] "Device identifier" and "Other and/or additional information may be included in identification information 352 without departing from the scope of the present invention").

# Claim 4

The method according to claim 1, further comprising searching for the device from a plurality of devices based on a device type (paragraph [00703] "Device type identifier").

Art Unit: 2146

### Claim 5

The method according to claim 1, further comprising searching for the device from a plurality of devices based on a device's availability (paragraph [0065] "Device identifier" and "Other and/or additional information may be included in identification information 352 without departing from the scope of the present invention").

#### Claim 6

The method according to claim 1, further comprising searching for the protocol translator module (paragraph [0070] "Abstraction device 206 identifies the communications protocol used by the identified network element 108 at step 406. This may include, for example, command translator 234 using device information 254 and/or device type information 256 in database 236 to identify the communications protocol").

#### Claim 7

A system comprising:

means for detecting at least one device (See figure 4, number 404 "identify network element");

means for detecting a protocol associated with each device (See figure 4, number 406 "identify communications protocol");

means for matching the detected protocol with a protocol translator module; and means for using the protocol translator module to translate a command formatted in the protocol into a translated command formatted in a common application programming

Art Unit: 2146

interface (See figure 4, number 414 "translate device command" and paragraph [0020] "In a particular embodiment, manager 102 communicates using a web services protocol, and abstraction device 106 translates between the web services protocol and the protocols used by network elements 108. This may allow manager 102 to communicate with different network elements 108 using a common protocol").

### Claim 8

A method comprising:

detecting at least one service (See figure 4, number 404 "identify network element");

detecting a protocol associated with each service (See figure 4, number 406 "identify communications protocol");

matching the detected protocol with a protocol translator module; and using a protocol translator module to translate a command formatted in the protocol into a translated command formatted in a common application programming interface (See figure 4, number 414 "translate device command" and paragraph [0020] "In a particular embodiment, manager 102 communicates using a web services protocol, and abstraction device 106 translates between the web services protocol and the protocols used by network elements 108. This may allow manager 102 to communicate with different network elements 108 using a common protocol").

Art Unit: 2146

### Claim 9

A method comprising:

detecting a plurality of devices wherein each unique device communicates using a corresponding protocol (See figure 4, number 404 "identify network element"); and displaying an indication of each device if a protocol translator module is matched with the corresponding protocol (See figure 4, number 406 and 412, "identify network element" and "Map information").

## Claim 10

The method according to claim 9, further comprising detecting the corresponding protocol from each device (See figure 4, number 406 "identify communications protocol").

## Claim 11

The method according to claim 9, further comprising storing the protocol translator module (paragraph [0052], "Database 236 may include any hardware, software, firmware, or combination thereof suitable to store and facilitate retrieval of information. Database 236 may store any suitable information used by abstraction device 206 to perform command translation or other functions" and paragraph [0054], "Database 236 may also store device type information 256. Device type information 256 may, for example, identify each device type in system 100, the communications protocol

Art Unit: 2146

used by each of the device types, and any other suitable information about the device types").

## Claim 12

The method according to claim 9, further comprising translating a command formatted in the corresponding protocol into a translated command formatted in a common application programming interface through the protocol translator module (See figure 4, number 414 "translate device command" and paragraph [0020] "In a particular embodiment, manager 102 communicates using a web services protocol, and abstraction device 106 translates between the web services protocol and the protocols used by network elements 108. This may allow manager 102 to communicate with different network elements 108 using a common protocol").

## Claim 13

The method according to claim 9, further comprising searching for a specific device from the plurality of devices based on a device identifier (paragraph [0065] "Device identifier").

## Claim 14

The method according to claim 9, further comprising searching for a specific device from the plurality of devices based on a content type (paragraph [0065] "Device

Art Unit: 2146

identifier" and "Other and/or additional information may be included in identification information 352 without departing from the scope of the present invention").

### Claim 15

The method according to claim 9, further comprising searching for a specific device from the plurality of devices based on a device type (paragraph [00703] "Device type identifier").

#### Claim 16

The method according to claim 9, further comprising searching for a specific device from the plurality of devices based on a device's availability (paragraph [0065] "Device identifier" and "Other and/or additional information may be included in identification information 352 without departing from the scope of the present invention").

# Claim 17

A method comprising: identifying a plurality of protocol translator modules wherein each protocol translator module is associated with a unique protocol; storing a list representing the plurality of protocol translator modules (paragraph [0052], "Database 236 may include any hardware, software, firmware, or combination thereof suitable to store and facilitate retrieval of information. Database 236 may store any suitable information used by abstraction device 206 to perform command translation or

Art Unit: 2146

other functions" and paragraph [0054], "Database 236 may also store device type information 256. Device type information 256 may, for example, identify each device type in system 100, the communications protocol used by each of the device types, and any other suitable information about the device types");

displaying an indication of each device having a device protocol that is compatible with one of the plurality of protocol translator modules in the list(See figure 4, number 406 "identify communications protocol"); and

translating a command formatted in the device protocol into a translated command formatted in a common application programming interface through one of the plurality of protocol translator modules (See figure 4, number 414 "translate device command" and paragraph [0020] "In a particular embodiment, manager 102 communicates using a web services protocol, and abstraction device 106 translates between the web services protocol and the protocols used by network elements 108. This may allow manager 102 to communicate with different network elements 108 using a common protocol").

#### Claim 18

The method according to claim 17, further comprising searching for additional protocol translator modules (paragraph [0052], "Database 236 may include any hardware, software, firmware, or combination thereof suitable to store and facilitate retrieval of information. Database 236 may store any suitable information used by abstraction device 206 to perform command translation or other functions").

Art Unit: 2146

### Claim 19

The method according to claim 18, further comprising updating the index in response to the searching for additional protocol translator modules (paragraph [0052], "Database 236 may include any hardware, software, firmware, or combination thereof suitable to store and facilitate retrieval of information. Database 236 may store any suitable information used by abstraction device 206 to perform command translation or other functions").

### Claim 20

A system comprising: an application configured for operating through a common application programming interface (paragraph [0032] "Abstraction device 106 may include any hardware, software, firmware, or combination thereof for facilitating communication between components of system 100");

a first device configured for operating using a first protocol; a second device configured for operating using a second protocol; and a protocol translation layer configured for searching for a first protocol translation module corresponding to the first protocol and for searching for a second protocol translation module corresponding to the second protocol (paragraph [0006] "The apparatus further includes a plurality of protocol converters, each operable to receive at least one device command, translate the at least one device command from a first protocol to a second protocol, and communicate the at least one device command to one or more network or non-network

Art Unit: 2146

device elements. At least two of the protocol converters are operable to translate the at least one device command into different second protocols").

## Claim 21

The system according to claim 20, wherein the protocol translation layer is configured for translating a first command formatted in the first protocol into a command formatted in the common application programming interface for use by the application (paragraph [0028] "Abstraction device 106 may, for example, receive a command from manager 102, translate the command from the protocol used by manager 102 into another protocol, and communicate the translated command to one or more network elements 108" and paragraph [0020] "In a particular embodiment, manager 102 communicates using a web services protocol, and abstraction device 106 translates between the web services protocol and the protocols used by network elements 108. This may allow manager 102 to communicate with different network elements 108 using a common protocol").

# Claim 22

The system according to claim 20, further comprising a presentation layer configured for displaying the first device after locating the first protocol translation module (paragraph [0032] "Abstraction device 106 may include any hardware, software,

Art Unit: 2146

firmware, or combination thereof for facilitating communication between components of system 100");

## Claim 23

A network protocol translation system comprising:

a processor that executes a run time process that uses only a single application programming interface for network communication (paragraph [0032] "Abstraction device 106 may include any hardware, software, firmware, or combination thereof for facilitating communication between components of system 100");

wherein the processor enables the run time process to communicate via a first network protocol by executing a first translation module that translates between the first network protocol and the application programming interface; and wherein the processor enables the run time process to communicate via a second network protocol, different from the first network protocol, by executing a second translation module that translates between the second network protocol and the application programming interface (See figure 4, number 414 "translate device command" and paragraph [0006] "The apparatus further includes a plurality of protocol converters, each operable to receive at least one device command, translate the at least one device command from a first protocol to a second protocol, and communicate the at least one device command to one or more network or non-network device elements. At least two of the protocol converters are operable to translate the at least one device command into different second protocols").

Art Unit: 2146

## Claim 24

A method, executed on a computing platform, comprising the acts of:

executing a run time process that uses only a single application programming interface for network communication (paragraph [0032] "Abstraction device 106 may include any hardware, software, firmware, or combination thereof for facilitating communication between components of system 100");

enabling the run time process to communicate via a first network protocol by executing a first translation module that translates between the first network protocol and the application programming interface; and enabling the run time process to communicate via a second network protocol, different from the first network protocol, by executing a second translation module that translates between the second network protocol and the application programming interface (See figure 4, number 414 "translate device command" and paragraph [0006] "The apparatus further includes a plurality of protocol converters, each operable to receive at least one device command, translate the at least one device command from a first protocol to a second protocol, and communicate the at least one device command to one or more network or non-network device elements. At least two of the protocol converters are operable to translate the at least one device command into different second protocols").

Art Unit: 2146

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Farhad Ali whose telephone number is (571) 270-1920. The examiner can normally be reached on Monday thru Friday, 7:30am to 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jeffrey C. Pwu can be reached on (571) 272-6798. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

F.A.

JEFFREY PWU SUPERVISORY PATENT EXAMINER

Mhy ham